Available online at www.sciencedirect.com
SCIENCE DIRECT®
Optics Communications 230 (2004) 445–450
OPTICS COMMUNICATIONS
www.elsevier.com/locate/optcom

Author index to volume 230

Adam, P.-M., see Hudlet, S. 230 (2004) 245
Agnesi, A., see Datta, P.K. 230 (2004) 411
Alam, M.S., see Fyath, R.S. 230 (2004) 35
Alsaffar, A.A.W., see Fyath, R.S. 230 (2004) 35
Ambrosio, A., B. Piccirillo, A. Sasso and E. Santamato, Experimental and theoretical study of the transient rotation of isotropic transparent microparticles in astigmatic optical tweezers 230 (2004) 337
Antonyuk, V.B., see Antonyuk, B.P. 230 (2004) 151
Antonyuk, B.P., V.B. Antonyuk, A.Z. Obidin, S.K. Vartapetov and M.A. Kurzanov, Light driven bunching of electrons in glasses: structuring of a matter by light 230 (2004) 151
Araiza-Esquivel, M., S. Guel-Sandoval and J. Ojeda-Castañeda, Multichannel image storage with image processing capabilities 230 (2004) 131
Asatryan, K., see Vallée, R. 230 (2004) 301
Aubert, S., see Hudlet, S. 230 (2004) 245
Azami, N., All-fiber dynamic gain slope compensator 230 (2004) 325
Azami, N., Characterization of polarization-dependent gain in Raman fiber amplifier 230 (2004) 181

Bêche, B., N. Pelletier, E. Gaviot and J. Zyss, Single-mode TE_{00}–TM_{00} optical waveguides on SU-8 polymer 230 (2004) 91
Bachelot, R., see Hudlet, S. 230 (2004) 245
Balakirev, M.K., L.I. Vostrikova, V.A. Smirnov, K.J. Plucinski and I.V. Kityk, Limitation of optical poling in germanium-silicate glasses 230 (2004) 211
Bartolini, R., G. Dattoli, L. Giannessi and P.L. Ottaviani, Semi-analytical models for saturation in optical-klystron FEL devices 230 (2004) 205
Benkelfat, B.-E., see Zou, Q. 230 (2004) 167
Berggren, J., see Symonds, C. 230 (2004) 419
Bijeon, J.-L., see Hudlet, S. 230 (2004) 245
Bouchoule, S., see Symonds, C. 230 (2004) 419
Boudebs, G., S. Cherukulappurath, M. Guignard, J. Troles, F. Smektala and F. Sanchez, Linear optical characterization of chalcogenide glasses 230 (2004) 331
Brugioni, S. and R. Meucci, Mid-infrared interferometric measurement of liquid crystal anisotropy 230 (2004) 19
Brunel, M. and S. Coëtmellec, Fractional-order Fourier formulation of the propagation of partially coherent light pulses 230 (2004) 1
Bruyant, A., see Hudlet, S. 230 (2004) 245
Buosciolo, A., G. Pesce and A. Sasso, New calibration method for position detector for simultaneous measurements of force constants and local viscosity in optical tweezers 230 (2004) 357

doi:10.1016/S0030-4018(03)02397-6

Castañeda, R., Partially coherent imaging and spatial coherence wavelets 230 (2004) 7
Chao, L., see Chun-Liu, Z. 230 (2004) 313
Chaubey, V.K., see Mukherjee, A. 230 (2004) 59
Chaudhuri, P.R., see Chun-Liu, Z. 230 (2004) 313
Chen, M., see Shi, Y. 230 (2004) 297
Chen, H., E. Wu and H. Zeng, Comparison between *a*-cut and off-axially cut Nd:YVO_4 lasers passively Q-switched with a Cr^{4+}:YAG crystal 230 (2004) 175
Cherukulappurath, S., see Boudebs, G. 230 (2004) 331
Choi, Y.-K., Y.-K. Ha, J.-E. Kim, H.Y. Park and K. Kim, Antireflection film in one-dimensional metallo-dielectric photonic crystals 230 (2004) 239
Chou, C., W.-C. Kuo, T.-S. Hsieh and H.-K. Teng, A phase sensitive optical rotation measurement in a scattered chiral medium using a Zeeman laser 230 (2004) 259
Chue, B.-R., see Lo, Y.-L. 230 (2004) 287
Chun-Liu, Z., Y. Xiufeng, L. Chao, N.J. Hong, G. Xin, P.R. Chaudhuri and D. Xinyong, Switchable multi-wavelength erbium-doped fiber lasers by using cascaded fiber Bragg gratings written in high birefringence fiber 230 (2004) 313
Coëtmellec, S., see Brunel, M. 230 (2004) 1
Commandré, M., see During, A. 230 (2004) 279

Damzen, M.J., see Minassian, A. 230 (2004) 191
Datta, P.K., S. Mukhopadhyay and A. Agnesi, Stability regime study of a nonlinear mirror mode-locked laser 230 (2004) 411
Dattoli, G., see Bartolini, R. 230 (2004) 205
Delâge, A., see Simova, E. 230 (2004) 95
Delgado, J., see Klimov, A.B. 230 (2004) 393
Dong, L., see Ye, F. 230 (2004) 219
During, A., C. Fossati and M. Commandré, Photothermal deflection microscopy for imaging sub-micronic defects in optical materials 230 (2004) 279

Eren San, S., see Köysal, O. 230 (2004) 273

Fan, Y.-H., see Ren, H. 230 (2004) 267
Feinberg, J., see Pan, Z. 230 (2004) 145
Fischer, M., see Vallée, R. 230 (2004) 301
Forchel, A., see Zimmermann, J. 230 (2004) 387
Fossati, C., see During, A. 230 (2004) 279
Frédérick, S., see Vallée, R. 230 (2004) 301
Fu, Y., see Quan, C. 230 (2004) 23
Fyath, R.S., A.A.W. Alsaffar and M.S. Alam, Nonrecoded trinary signed-digit multiplication based on digit grouping and pixel assignment 230 (2004) 35

Galstian, T., see Vallée, R. 230 (2004) 301
Garnache, A., see Symonds, C. 230 (2004) 419
Gauza, S., see Ren, H. 230 (2004) 267
Gaviot, E., see Bêche, B. 230 (2004) 91
Gendron, E., see Glanc, M. 230 (2004) 225
Giannessi, L., see Bartolini, R. 230 (2004) 205

Glanc, M., E. Gendron, F. Lacombe, D. Lafaille, J.-F. Le Gargasson and P. Léna, Towards wide-field retinal imaging with adaptive optics 230 (2004) 225
Golub, I., see Simova, E. 230 (2004) 95
Gong, M., see Xiao, L. 230 (2004) 401
Grubsky, V., see Pan, Z. 230 (2004) 145
Guel-Sandoval, S., see Araiza-Esquivel, M. 230 (2004) 131
Guignard, M., see Boudebs, G. 230 (2004) 331
Guo, L.-w. and Y.-w. Zhou, Combined effect of PMD and PDL on four-wave-mixing-induced crosstalk in WDM system 230 (2004) 309

Ha, Y.-K., see Choi, Y.-K. 230 (2004) 239
Havstad, S.A., see Pan, Z. 230 (2004) 145
Hermann, J.A., Beam shape and phase solutions from the variational analysis of nonlinear optical propagation in thick media 230 (2004) 433
Hong, N.J., see Chun-Liu, Z. 230 (2004) 313
Hori, T., Enhancement of field confinement by deforming perfectly periodic structures in one-dimensional slab waveguides 230 (2004) 161
Hsieh, T.-S., see Chou, C. 230 (2004) 259
Hudlet, S., S. Aubert, A. Bruyant, R. Bachelot, P.-M. Adam, J.-L. Bijeon, G. Lérondel, P. Royer and A.A. Stashkevich, Apertureless near field optical microscopy: a contribution to the understanding of the signal detected in the presence of a background field 230 (2004) 245

Jackson, S.D., Cross relaxation and energy transfer upconversion processes relevant to the functioning of 2 μm Tm^{3+}-doped silica fibre lasers 230 (2004) 197
Jiang, H., Erratum to "Subcellular sizing with polarized light spectroscopy" [Opt. Commun. 226 (2004) 279–283] 230 (2004) 443

Köysal, O., S. Eren San and S. Özder, Simultaneous determination of refractive index and thickness of multilayer dielectric films by discrete Fourier transform 230 (2004) 273
Kam, C.H., see Ngo, N.Q. 230 (2004) 115
Kamp, M., see Zimmermann, J. 230 (2004) 387
Kaplin, I.J., see McNamara, P. 230 (2004) 45
Kim, K., see Choi, Y.-K. 230 (2004) 239
Kim, J.-E., see Choi, Y.-K. 230 (2004) 239
Kim, K.T., D.S. Yoon and G.-i. Kwoen, Optical properties of side-polished polarization maintaining fiber coupled with a high index planar waveguide 230 (2004) 137
Kityk, I.V., see Balakirev, M.K. 230 (2004) 211
Klimov, A.B., J.L. Romero, J. Delgado and L.L. Sánchez-Soto, Effective damping in the Raman cooling of trapped ions 230 (2004) 393
Kuo, W.-C., see Chou, C. 230 (2004) 259
Kurzanov, M.A., see Antonyuk, B.P. 230 (2004) 151
Kwoen, G.-i., see Kim, K.T. 230 (2004) 137
Kyu Kim, B., see Park, S. 230 (2004) 319

Lacombe, F., see Glanc, M. 230 (2004) 225
Lafaille, D., see Glanc, M. 230 (2004) 225
Lakhtakia, A., see Polo Jr, J.A. 230 (2004) 369

Léna, P., see Glanc, M. 230 (2004) 225
Lérondel, G., see Hudlet, S. 230 (2004) 245
Le Gargasson, J.-F., see Glanc, M. 230 (2004) 225
Li, G., see Zhou, L. 230 (2004) 347
Li, Y., see Liu, X. 230 (2004) 425
Li, Y.-P., see Ye, F. 230 (2004) 219
Li, J., A.Q. Liu, W.D. Zhong, Q.X. Zhang and C. Lu, MEMS switch based serial reconfigurable OADM 230 (2004) 81
Lin, Y.-C., see Lu, H.-H. 230 (2004) 185
Liu, A.Q., see Li, J. 230 (2004) 81
Liu, X. and Y. Li, Optimizing the bandwidth and noise performance of distributed multi-pump Raman amplifiers 230 (2004) 425
Lo, Y.-L., B.-R. Chue and S.-H. Xu, Fiber torsion sensor demodulated by a high-birefringence fiber Bragg grating 230 (2004) 287
Lu, C., see Li, J. 230 (2004) 81
Lu, H.-H., S.-J. Tzeng, Y.-H. Su and Y.-C. Lin, Employing double external light injection techniques to improve radio-on-fiber systems performance 230 (2004) 185
Lyytikainen, K.J., see McNamara, P. 230 (2004) 45

März, R., see Zimmermann, J. 230 (2004) 387
McNamara, P., K.J. Lyytikainen, T. Ryan, I.J. Kaplin and S.P. Ringer, Germanium-rich "starburst" cores in silica-based optical fibres fabricated by Modified Chemical Vapour Deposition 230 (2004) 45
Meucci, R., see Brugioni, S. 230 (2004) 19
Minassian, A. and M.J. Damzen, 20 W bounce geometry diode-pumped Nd:YVO_4 laser system at 1342 nm 230 (2004) 191
Mukherjee, A., S. Pal Singh and V.K. Chaubey, Wavelength conversion algorithm in an intelligent WDM network 230 (2004) 59
Mukhopadhyay, S., see Datta, P.K. 230 (2004) 411

Ngo, N.Q., S.F. Yu, S.C. Tjin and C.H. Kam, A new theoretical basis of higher-derivative optical differentiators 230 (2004) 115

Obidin, A.Z., see Antonyuk, B.P. 230 (2004) 151
Ojeda-Castañeda, J., see Araiza-Esquivel, M. 230 (2004) 131
Ottaviani, P.L., see Bartolini, R. 230 (2004) 205
Ou, P., see Xiao, L. 230 (2004) 401
Oudar, J.-L., see Symonds, C. 230 (2004) 419
Özder, S., see Köysal, O. 230 (2004) 273

Pal Singh, S., see Mukherjee, A. 230 (2004) 59
Pan, Z., Y. Xie, S.A. Havstad, Q. Yu, A.E. Willner, V. Grubsky, D.S. Starodubov and J. Feinberg, Real-time group-velocity dispersion monitoring and automated compensation without modifications of the transmitter 230 (2004) 145
Park, S., B. Kyu Kim and C.-S. Park, Performance enhancement using the bipolar capacity of bipolar coded fiber Bragg gratings and balanced detection in the spectral encoded code-division-multiple-access systems 230 (2004) 319

Park, C.-S., see Park, S. 230 (2004) 319
Park, H.Y., see Choi, Y.-K. 230 (2004) 239
Pelletier, N., see Bêche, B. 230 (2004) 91
Pesce, G., see Buosciolo, A. 230 (2004) 357
Piccirillo, B., see Ambrosio, A. 230 (2004) 337
Plucinski, K.J., see Balakirev, M.K. 230 (2004) 211
Polo Jr, J.A. and A. Lakhtakia, Comparison of two methods for oblique propagation in helicoidal bianisotropic mediums 230 (2004) 369

Quan, C., Y. Fu and C.J. Tay, Determination of surface contour by temporal analysis of shadow moiré fringes 230 (2004) 23

Ramdane, A., see Zou, Q. 230 (2004) 167
Ran, Q., see Yeung, D.S. 230 (2004) 55
Ren, H., Y.-H. Fan, S. Gauza and S.-T. Wu, Tunable microlens arrays using polymer network liquid crystal 230 (2004) 267
Ringer, S.P., see McNamara, P. 230 (2004) 45
Romero, J.L., see Klimov, A.B. 230 (2004) 393
Royer, P., see Hudlet, S. 230 (2004) 245
Ryan, T., see McNamara, P. 230 (2004) 45

Sánchez-Soto, L.L., see Klimov, A.B. 230 (2004) 393
Sagnes, I., see Symonds, C. 230 (2004) 419
Sanchez, F., see Boudebs, G. 230 (2004) 331
Santamato, E., see Ambrosio, A. 230 (2004) 337
Sasso, A., see Ambrosio, A. 230 (2004) 337
Sasso, A., see Buosciolo, A. 230 (2004) 357
Shi, Y., M. Chen and S. Xie, A novel low power chromatic dispersion monitoring technique employing SOA spectral shift 230 (2004) 297
Simova, E., I. Golub and A. Delâge, Analysis of polarization properties of lateral antiresonant reflecting optical waveguides 230 (2004) 95
Smektala, F., see Boudebs, G. 230 (2004) 331
Smirnov, V.A., see Balakirev, M.K. 230 (2004) 211
Sotskaya, L.I., see Sotsky, A.B. 230 (2004) 67
Sotsky, A.B. and L.I. Sotskaya, Modes of capillary optical fibers 230 (2004) 67
Starodubov, D.S., see Pan, Z. 230 (2004) 145
Stashkevich, A.A., see Hudlet, S. 230 (2004) 245
Strassner, M., see Symonds, C. 230 (2004) 419
Su, Y.-H., see Lu, H.-H. 230 (2004) 185
Symonds, C., I. Sagnes, J.-L. Oudar, S. Bouchoule, A. Garnache, J. Berggren and M. Strassner, Room temperature CW lasing operation of monolithically grown 1.55 μm vertical external cavity surface emitting laser 230 (2004) 419

Tay, C.J., see Quan, C. 230 (2004) 23
Teng, H.-K., see Chou, C. 230 (2004) 259
Teo, K.L., see Yeung, D.S. 230 (2004) 55
Tian, X. and X. Zhang, Dispersion-flattened designs of the large effective-area single-mode fibers with ring index profiles 230 (2004) 105
Tjin, S.C., see Ngo, N.Q. 230 (2004) 115

Troles, J., see Boudebs, G. 230 (2004) 331
Tsang, E.C.C., see Yeung, D.S. 230 (2004) 55
Tzeng, S.-J., see Lu, H.-H. 230 (2004) 185

Vallée, R., S. Frédérick, K. Asatryan, M. Fischer and T. Galstian, Real-time observation of Bragg grating formation in As_2S_3 chalcogenide ridge waveguides 230 (2004) 301
Vartapetov, S.K., see Antonyuk, B.P. 230 (2004) 151
Vostrikova, L.I., see Balakirev, M.K. 230 (2004) 211

Wang, J., see Ye, F. 230 (2004) 219
Wei, W., see Xiao, L. 230 (2004) 401
Willner, A.E., see Pan, Z. 230 (2004) 145
Wu, S.-T., see Ren, H. 230 (2004) 267
Wu, E., see Chen, H. 230 (2004) 175

Xia, J. and J. Yu, Single-mode condition for silicon rib waveguides with trapezoidal cross-section 230 (2004) 253
Xiao, L., P. Yan, M. Gong, W. Wei and P. Ou, An approximate analytic solution of strongly pumped Yb-doped double-clad fiber lasers without neglecting the scattering loss 230 (2004) 401
Xie, S., see Shi, Y. 230 (2004) 297
Xie, Y., see Pan, Z. 230 (2004) 145
Xin, G., see Chun-Liu, Z. 230 (2004) 313
Xinyong, D., see Chun-Liu, Z. 230 (2004) 313
Xiufeng, Y., see Chun-Liu, Z. 230 (2004) 313
Xu, S.-H., see Lo, Y.-L. 230 (2004) 287

Yan, P., see Xiao, L. 230 (2004) 401
Ye, F., J. Wang, L. Dong and Y.-P. Li, Suppression of modulational instability of ring vector solitons 230 (2004) 219
Yeung, D.S., Q. Ran, E.C.C. Tsang and K.L. Teo, Complete way to fractionalize Fourier transform 230 (2004) 55
Yoon, D.S., see Kim, K.T. 230 (2004) 137
Yu, J., see Xia, J. 230 (2004) 253
Yu, Q., see Pan, Z. 230 (2004) 145
Yu, S.F., see Ngo, N.Q. 230 (2004) 115

Zeng, H., see Chen, H. 230 (2004) 175
Zhang, X., see Tian, X. 230 (2004) 105
Zhang, Q.X., see Li, J. 230 (2004) 81
Zhong, W.D., see Li, J. 230 (2004) 81
Zhou, Y.-w., see Guo, L.-w. 230 (2004) 309
Zhou, L. and G. Li, Decay distribution of spontaneous emission from atoms in one-dimensional photonic crystal 230 (2004) 347
Zimmermann, J., M. Kamp, A. Forchel and R. März, Photonic crystal waveguide directional couplers as wavelength selective optical filters 230 (2004) 387
Zou, Q., A. Ramdane and B.-E. Benkelfat, Extended dispersion relation in finite-length, one-dimensional, periodic photonic band-gap structures 230 (2004) 167
Zyss, J., see Bêche, B. 230 (2004) 91

Available online at www.sciencedirect.com
SCIENCE DIRECT®
ELSEVIER
Optics Communications 230 (2004) 451–454
OPTICS COMMUNICATIONS
www.elsevier.com/locate/optcom

Subject index to volume 230

Propagation and scattering

M. Brunel and S. Coëtmellec, Fractional-order Fourier formulation of the propagation of partially coherent light pulses 1

R. Castañeda, Partially coherent imaging and spatial coherence wavelets 7

S. Brugioni and R. Meucci, Mid-infrared interferometric measurement of liquid crystal anisotropy 19

M. Glanc, E. Gendron, F. Lacombe, D. Lafaille, J.-F. Le Gargasson and P. Léna, Towards wide-field retinal imaging with adaptive optics 225

Y.-K. Choi, Y.-K. Ha, J.-E. Kim, H.Y. Park and K. Kim, Antireflection film in one-dimensional metallo-dielectric photonic crystals 239

S. Hudlet, S. Aubert, A. Bruyant, R. Bachelot, P.-M. Adam, J.-L. Bijeon, G. Lérondel, P. Royer and A.A. Stashkevich, Apertureless near field optical microscopy: a contribution to the understanding of the signal detected in the presence of a background field 245

J. Xia and J. Yu, Single-mode condition for silicon rib waveguides with trapezoidal cross-section 253

C. Chou, W.-C. Kuo, T.-S. Hsieh and H.-K. Teng, A phase sensitive optical rotation measurement in a scattered chiral medium using a Zeeman laser 259

Optical information, image formation and analysis, optical computing

C. Quan, Y. Fu and C.J. Tay, Determination of surface contour by temporal analysis of shadow moiré fringes 23

R.S. Fyath, A.A.W. Alsaffar and M.S. Alam, Nonrecoded trinary signed-digit multiplication based on digit grouping and pixel assignment 35

P. McNamara, K.J. Lyytikainen, T. Ryan, I.J. Kaplin and S.P. Ringer, Germanium-rich "starburst" cores in silica-based optical fibres fabricated by Modified Chemical Vapour Deposition 45

D.S. Yeung, Q. Ran, E.C.C. Tsang and K.L. Teo, Complete way to fractionalize Fourier transform 55

H. Ren, Y.-H. Fan, S. Gauza and S.-T. Wu, Tunable microlens arrays using polymer network liquid crystal 267

doi:10.1016/S0030-4018(03)02398-8

O. Köysal, S. Eren San and S. Özder, Simultaneous determination of refractive index and thickness of multilayer dielectric films by discrete Fourier transform 273

A. During, C. Fossati and M. Commandré, Photothermal deflection microscopy for imaging sub-micronic defects in optical materials 279

Y.-L. Lo, B.-R. Chue and S.-H. Xu, Fiber torsion sensor demodulated by a high-birefringence fiber Bragg grating 287

Optical communications

A. Mukherjee, S. Pal Singh and V.K. Chaubey, Wavelength conversion algorithm in an intelligent WDM network 59

A.B. Sotsky and L.I. Sotskaya, Modes of capillary optical fibers 67

J. Li, A.Q. Liu, W.D. Zhong, Q.X. Zhang and C. Lu, MEMS switch based serial reconfigurable OADM 81

B. Bêche, N. Pelletier, E. Gaviot and J. Zyss, Single-mode TE_{00}–TM_{00} optical waveguides on SU-8 polymer 91

E. Simova, I. Golub and A. Delâge, Analysis of polarization properties of lateral antiresonant reflecting optical waveguides 95

X. Tian and X. Zhang, Dispersion-flattened designs of the large effective-area single-mode fibers with ring index profiles 105

N.Q. Ngo, S.F. Yu, S.C. Tjin and C.H. Kam, A new theoretical basis of higher-derivative optical differentiators 115

M. Araiza-Esquivel, S. Guel-Sandoval and J. Ojeda-Castañeda, Multichannel image storage with image processing capabilities 131

K.T. Kim, D.S. Yoon and G.-i. Kwoen, Optical properties of side-polished polarization maintaining fiber coupled with a high index planar waveguide 137

Z. Pan, Y. Xie, S.A. Havstad, Q. Yu, A.E. Willner, V. Grubsky, D.S. Starodubov and J. Feinberg, Real-time group-velocity dispersion monitoring and automated compensation without modifications of the transmitter 145

Y. Shi, M. Chen and S. Xie, A novel low power chromatic dispersion monitoring technique employing SOA spectral shift 297

R. Vallée, S. Frédérick, K. Asatryan, M. Fischer and T. Galstian, Real-time observation of Bragg grating formation in As_2S_3 chalcogenide ridge waveguides 301

L.-w. Guo and Y.-w. Zhou, Combined effect of PMD and PDL on four-wave-mixing-induced crosstalk in WDM system 309

Z. Chun-Liu, Y. Xiufeng, L. Chao, N.J. Hong, G. Xin, P.R. Chaudhuri and D. Xinyong, Switchable multi-wavelength erbium-doped fiber lasers by using cascaded fiber Bragg gratings written in high birefringence fiber 313

S. Park, B. Kyu Kim and C.-S. Park, Performance enhancement using the bipolar capacity of bipolar coded fiber Bragg gratings and balanced detection in the spectral encoded code-division-multiple-access systems 319

N. Azami, All-fiber dynamic gain slope compensator 325

Atomic and molecular physics

B.P. Antonyuk, V.B. Antonyuk, A.Z. Obidin, S.K. Vartapetov and M.A. Kurzanov, Light driven bunching of electrons in glasses: structuring of a matter by light 151

G. Boudebs, S. Cherukulappurath, M. Guignard, J. Troles, F. Smektala and F. Sanchez, Linear optical characterization of chalcogenide glasses 331

A. Ambrosio, B. Piccirillo, A. Sasso and E. Santamato, Experimental and theoretical study of the transient rotation of isotropic transparent microparticles in astigmatic optical tweezers 337

L. Zhou and G. Li, Decay distribution of spontaneous emission from atoms in one-dimensional photonic crystal 347

A. Buosciolo, G. Pesce and A. Sasso, New calibration method for position detector for simultaneous measurements of force constants and local viscosity in optical tweezers 357

Condensed matter

T. Hori, Enhancement of field confinement by deforming perfectly periodic structures in one-dimensional slab waveguides 161

J.A. Polo Jr and A. Lakhtakia, Comparison of two methods for oblique propagation in helicoidal bianisotropic mediums 369

J. Zimmermann, M. Kamp, A. Forchel and R. März, Photonic crystal waveguide directional couplers as wavelength selective optical filters 387

Quantum optics

Q. Zou, A. Ramdane and B.-E. Benkelfat, Extended dispersion relation in finite-length, one-dimensional, periodic photonic band-gap structures 167

A.B. Klimov, J.L. Romero, J. Delgado and L.L. Sánchez-Soto, Effective damping in the Raman cooling of trapped ions 393

Laser physics and laser sources

H. Chen, E. Wu and H. Zeng, Comparison between *a*-cut and off-axially cut Nd:YVO_4 lasers passively Q-switched with a Cr^{4+}:YAG crystal 175

N. Azami, Characterization of polarization-dependent gain in Raman fiber amplifier 181

H.-H. Lu, S.-J. Tzeng, Y.-H. Su and Y.-C. Lin, Employing double external light injection techniques to improve radio-on-fiber systems performance 185

A. Minassian and M.J. Damzen, 20 W bounce geometry diode-pumped Nd:YVO_4 laser system at 1342 nm 191

S.D. Jackson, Cross relaxation and energy transfer upconversion processes relevant to the functioning of 2 μm Tm^{3+}-doped silica fibre lasers 197

R. Bartolini, G. Dattoli, L. Giannessi and P.L. Ottaviani, Semi-analytical models for saturation in optical-klystron FEL devices 205

L. Xiao, P. Yan, M. Gong, W. Wei and P. Ou, An approximate analytic solution of strongly pumped Yb-doped double-clad fiber lasers without neglecting the scattering loss 401

P.K. Datta, S. Mukhopadhyay and A. Agnesi, Stability regime study of a nonlinear mirror mode-locked laser 411

C. Symonds, I. Sagnes, J.-L. Oudar, S. Bouchoule, A. Garnache, J. Berggren and M. Strassner, Room temperature CW lasing operation of monolithically grown 1.55 μm vertical external cavity surface emitting laser 419

X. Liu and Y. Li, Optimizing the bandwidth and noise performance of distributed multi-pump Raman amplifiers 425

Nonlinear optics

M.K. Balakirev, L.I. Vostrikova, V.A. Smirnov, K.J. Plucinski and I.V. Kityk, Limitation of optical poling in germanium-silicate glasses 211

F. Ye, J. Wang, L. Dong and Y.-P. Li, Suppression of modulational instability of ring vector solitons 219

J.A. Hermann, Beam shape and phase solutions from the variational analysis of nonlinear optical propagation in thick media 433

Erratum

H. Jiang, Erratum to "Subcellular sizing with polarized light spectroscopy" [Opt. Commun. 226 (2003) 279–283] 443